


IL-AD-E17-E17



IL-AD-E17-E26



Model	Body material	Contact material	N.Weight	Packing	Meas
IL-AD-E17-E17	Flame retardant PBT	Copper	14.5g	600pcs/CTN	465*255*300MM
IL-AD-E17-E26	Flame retardant PBT	Copper	16.4g	600pcs/CTN	596*316*330MM

IL-AD-E12-E26



IL-AD-E12-GU10



Model	Body material	Contact material	N.Weight	Packing	Meas
IL-AD-E12-E26	Flame retardant PBT	Copper	14.8g	600pcs/CTN	638*339*343MM
IL-AD-E12-GU10	Flame retardant PBT	Copper	25.7g	600pcs/CTN	615*315*310MM

IL-AD-E12-E14



IL-AD-E12-E17



Model	Body material	Contact material	N.Weight	Packing	Meas
IL-AD-E12-E14	Copper	Copper	3.3g	2000pcs/CTN	357*179*311MM
IL-AD-E12-E17	Copper	Copper	3.8g	2000pcs/CTN	420*210*342MM

IL-AD-E11-E17



IL-AD-E11-E26



Model	Body material	Contact material	N.Weight	Packing	Meas
IL-AD-E11-E17	Flame retardant PBT	Copper	11.2g	600pcs/CTN	465*247*274MM
IL-AD-E11-E26	Flame retardant PBT	Copper	17.4g	600pcs/CTN	620*340*410MM

IL-AD-E11-E12




IL-AD-E11-E14




Model	Body material	Contact material	N.Weight	Packing	Meas
IL-AD-E11-E12	Copper	Copper	2.2g	1000pcs/CTN	375*325*310MM
IL-AD-E11-E14	Copper	Copper	2.7g	2000pcs/CTN	400*300*190MM

IL-AD-BA15D-GZ10



IL-AD-BA15D-MR16



Model	Body material	Contact material	N.Weight	Packing	Meas
IL-AD-BA15D-GZ10	Flame retardant PBT	Copper	29g	360pcs/CTN	350*310*275MM
IL-AD-BA15D-MR16	Ceramics	Copper	10.3g	1000pcs/CTN	225*180*245MM

IL-AD-E27-X



IL-AD-E39-E26




Model	Body material	Contact material	N.Weight	Packing	Meas
IL-AD-E27-X	Flame retardant PBT	Copper	21.6g	360pcs/CTN	375*325*310MM
IL-AD-E39-E26	Ceramics	Copper	89.9g	200pcs/CTN	340*213*295MM

IL-AD-G24q-E27



IL-AD-GU24-E27



Model	Body material	Contact material	N.Weight	Packing	Meas
IL-AD-G24q-E27	Flame retardant PBT	Copper	31g	600pcs/CTN	610*320*365MM
IL-AD-GU24-E27	Flame retardant PBT	Copper	25.3g	600pcs/CTN	636*346*290MM

IL-AD-E26-E17



IL-AD-E26-E26



Model	Body material	Contact material	N.Weight	Packing	Meas
IL-AD-E26-E17	Flame retardant PBT	Copper	11.7g	600pcs/CTN	468*248*225MM
IL-AD-E26-E26	Flame retardant PBT	Copper	23g	600pcs/CTN	596*316*348MM