

IL-AD-E17-E17



IL-AD-E17-E26



| Model | Body material | Contact material | N.Weight | Packing | Meas |
|---------------|---------------------|------------------|----------|------------|---------------|
| IL-AD-E17-E17 | Flame retardant PBT | Copper | 14.5g | 600pcs/CTN | 465*255*300MM |
| IL-AD-E17-E26 | Flame retardant PBT | Copper | 16.4g | 600pcs/CTN | 596*316*330MM |

IL-AD-E12-E26



IL-AD-E12-GU10



| Model | Body material | Contact material | N.Weight | Packing | Meas |
|----------------|---------------------|------------------|----------|------------|---------------|
| IL-AD-E12-E26 | Flame retardant PBT | Copper | 14.8g | 600pcs/CTN | 638*339*343MM |
| IL-AD-E12-GU10 | Flame retardant PBT | Copper | 25.7g | 600pcs/CTN | 615*315*310MM |

IL-AD-E12-E14




IL-AD-E12-E17



| Model | Body material | Contact material | N.Weight | Packing | Meas |
|---------------|---------------|------------------|----------|-------------|---------------|
| IL-AD-E12-E14 | Copper | Copper | 3.3g | 2000pcs/CTN | 357*179*311MM |
| IL-AD-E12-E17 | Copper | Copper | 3.8g | 2000pcs/CTN | 420*210*342MM |

IL-AD-E11-E17



IL-AD-E11-E26



| Model | Body material | Contact material | N.Weight | Packing | Meas |
|---------------|---------------------|------------------|----------|------------|---------------|
| IL-AD-E11-E17 | Flame retardant PBT | Copper | 11.2g | 600pcs/CTN | 465*247*274MM |
| IL-AD-E11-E26 | Flame retardant PBT | Copper | 17.4g | 600pcs/CTN | 620*340*410MM |

IL-AD-E11-E12




IL-AD-E11-E14



| Model | Body material | Contact material | N.Weight | Packing | Meas |
|---------------|---------------|------------------|----------|-------------|---------------|
| IL-AD-E11-E12 | Copper | Copper | 2.2g | 1000pcs/CTN | 375*325*310MM |
| IL-AD-E11-E14 | Copper | Copper | 2.7g | 2000pcs/CTN | 400*300*190MM |

IL-AD-BA15D-GZ10



IL-AD-BA15D-MR16



| Model | Body material | Contact material | N.Weight | Packing | Meas |
|------------------|---------------------|------------------|----------|-------------|---------------|
| IL-AD-BA15D-GZ10 | Flame retardant PBT | Copper | 29g | 360pcs/CTN | 350*310*275MM |
| IL-AD-BA15D-MR16 | Ceramics | Copper | 10.3g | 1000pcs/CTN | 225*180*245MM |

IL-AD-E27-X




| Model | Body material | Contact material | N.Weight | Packing | Meas |
|---------------|---------------------|------------------|----------|------------|---------------|
| IL-AD-E27-X | Flame retardant PBT | Copper | 21.6g | 360pcs/CTN | 375*325*310MM |
| IL-AD-E39-E26 | Ceramics | Copper | 89.9g | 200pcs/CTN | 340*213*295MM |

IL-AD-E39-E26




IL-AD-G24q-E27



| Model | Body material | Contact material | N.Weight | Packing | Meas |
|----------------|---------------------|------------------|----------|------------|---------------|
| IL-AD-G24q-E27 | Flame retardant PBT | Copper | 31g | 600pcs/CTN | 610*320*365MM |
| IL-AD-GU24-E27 | Flame retardant PBT | Copper | 25.3g | 600pcs/CTN | 636*346*290MM |

IL-AD-GU24-E27



IL-AD-E26-E17



| Model | Body material | Contact material | N.Weight | Packing | Meas |
|---------------|---------------------|------------------|----------|------------|---------------|
| IL-AD-E26-E17 | Flame retardant PBT | Copper | 11.7g | 600pcs/CTN | 468*248*225MM |
| IL-AD-E26-E26 | Flame retardant PBT | Copper | 23g | 600pcs/CTN | 596*316*348MM |

IL-AD-E26-E26

