

GENESIS - UFO Highbay Light

Features:

- UFO patented design, perfect appearance
- Die-casting aluminum heatsink design
- Materials: Aluminum + plastic cover
- Housing material: Aluminum alloy die casting-12
- Cover material: Plastic
- Driver: Sosen or Meanwell HBG
- LED Sources: Epistar or Philips 3030 SMD
- Life time: 50,000 hours
- 1-10V dimmable, microwave motion sensor available




Technical Specifications:

- Input Voltage: 120-277Vac
- High efficiency: 130 lm/W
- Beam angle: 120°
- Color Rendering Index (CRI) > 80
- Power factor correction > 0.9
- Working temperature: -4 °F to 131 °F (-20°C to 55°C)

Wattage	100W	150W	200W	240W
Input Voltage	100-277V AC (In Stock), 347-480V AC (Special Order)			
Lumen Output	13000lumens ± 5%	19500lumens ± 5%	26000lumens ± 5%	31200 lumens± 5%
Beem Angle	120°			
CRI	>80			
IP Rating	IP65			
Warranty	5 years			

Accessories:

- Aluminum Reflector for Genesis**
 SKU: HBY-GENESIS-LENS-ALU-100/150
 HBY-GENESIS-LENS-ALU-200/240



- Plastic Reflector for Genesis**
 SKU: HBY-GENESIS-LENS-PC-100/150
 HBY-GENESIS-LENS-PC-200/240




- U-Bracket**
 SKU:HBY-GENESIS-U Bracket




Dimensions:

100W/150W



200W/240W



Note:

- Cut off electricity supply before installation
- Installation can only be done by qualified electricians.
- Check input voltage before installation
- Damage caused by improper installation or human error are not covered by warranty.



ORDERING GUIDE			Example: HBY-GENESIS-100W-5000K-US
Fixture Type <input type="text"/>	Wattage <input type="text"/>	Color Temperature <input type="text"/>	
Genesis Highbay Light HBY-Genesis	100W 150W 200W 240W	5000K	