

SLIM PUCK LIGHT

Description:


Our Slim Puck Lights are only 3/8" thick and 3" wide. They fit comfortably over a 2.5" hole for wiring. Using only 2.2 watts, it will save you up to 90% less energy than traditional lighting. The light engine comes in three Color Temperature options 2700K, 4000K, and 6000K. Enhance aesthetics with face plates available in black, white or brushed nickel trim, sold separately. Operating on 12V DC power, these lights redefine efficiency and style.



Features:

- Slim Profile: only 3/8" from surface
- Surface Mounted
- Only consumes 2.2 watts
- Magnetic Trim Color Options: Black, White, and Brushed Nickle (sold separately)
- Brightness: 175 lumens

Dimension:



Trim:



5 years warranty

Changeable Trim Finish Color




White Black Nickel

Mechanical



Surface mounting



Recessed mounting

General

Color Temperature(CCT)	2700K / 4000K / 6000K
Power Consumption(W)	2.2W
Input Voltage	12V
Lumen	80lm/W
CRI (Ra)	80
Beam Angle	110°
Material	High quality heat conductive plastics
IP Grade	IP 44
Environment	Indoor use
Operation Temperature	113°F
Lifespan	50 000hrs
Certification	CE, RoHS, S, ETL
Warranty	5 years


SKU's Available

PK-S-2.2W-2700K-DIM PK-S-Trim-BLK-DIM
 PK-S-2.2W-4000K-DIM PK-S-Trim-NKL-DIM
 PK-S-2.2W-6000K-DIM PK-S-Trim-WHT-DIM




Goniophotometers System Test Report

110°	H(m)	Lux	Ø(cm)
	1	50.2	239.38
	2	12.55	478.77
	3	5.578	718.15
	4	3.137	957.54
	5	2.008	1196.9




Installation

Surface mounting



Recessed mounting



Application

- Cabinet light
- Closet light
- Display case
- Jewelry store
- Museum
- Walkway
- Household
- Hotel
- Entertainment places, etc.



Packaging

Packaging Measurement	Master Carton
Unit per Carton	100pcs
Dimension	45*45*27cm
Net Weight / Gross Weight	15kgs / 16 5kgs