

# CCT ROTARY WALL REMOTE (RF) SR SERIES

## Description:

The CCT Rotary Wall Remote (RF) SR Series is a remote control device designed to operate CCT lighting fixtures wirelessly. It features a rotary dial for smoothly adjusting the CCT (Correlated Color Temperature) of the light output, allowing users to fine-tune the color temperature to their desired level. The remote control utilizes RF (radio frequency) technology, which provides a reliable and stable connection between the remote and the lighting fixtures. The SR Series is compact and easy to install on a wall, making it a convenient solution for controlling CCT lighting in various settings, such as homes, offices, or retail spaces.



## Features:

- SKU: CONT-SR-2836-CCT-US
- RF wall-mounted control for dual-color LEDs with color temperature and brightness adjustment.
- Reliable switch and dimming control within 20-meter range.
- 5-year battery life.
- Smooth switch on/off function without flash.
- 0.1-100% dimming range.
- Double-click rotary knob for brightness and color temperature adjustment.
- Receivers compatible with power repeater for unlimited output power.
- Control 1 zone separately with endless receivers and up to 8 remotes per receiver.
- Rotary adjustment with wall-mounted panel.

## Application:

- Residential
- Commercial
- Hospitality
- Retail
- Theater
- Museum

**Dimension:****Technical Specification:**

Operation Voltage	3VDC
Output Signal	RF signal
Power Supply	3V(CR2032)
Power consumption	10 mA
Ip Rating	20
Radio frequency	916.5MHz
Operating temperature	32-40°F
Relative humidity	8% to 80%
Remarks	RF Wireless

**Safety & Warnings:**

- DO NOT install with power applied to device.
- DO NOT expose the device to moisture

## RGBW 4 Channel Controller (RF) SR Series

That can be used with this fixture:

- SKU: CONT-SR-1009FA
- Voltage: 12-36VDC
- Wattage: 240-720W
- IP Rating: 67
- Sold Separately

