

LED UFO HIGH BAY WATTAGE AND CCT ADJUSTABLE

Description:

The LED High Bay is an economical lighting option. With a CRI of over 80, it provides comfortable and visually appealing lighting.



Features:

- SKU: NUR-HBY-CCT-215W
- Sealed die-casting profile for indoor and outdoor applications.
- For use with 0-10V dimming, allowing for a dimming range of 100% to 0%.
- An energy-efficient replacement for 250W and 400W metal halide lamps.
- Available in hook mount and pendant mount options.
- The product is CCT adjustable, allowing for customization of the color temperature.
- It is wattage selectable, providing flexibility in choosing the appropriate power output.
- The maximum wattage for this product is 215W.











Revision: March 06, 2023




Applications:

- Warehouses
- Industrial
- Retail
- Office
- Gymnasiums

Dimensions:

Unit: Inch



Technical Specifications:

Voltage	120-277 VAC		
Wattage	Max. 215W		
Color Temperature	4000K/5000K		
Dimmable	0-10V dimming		
Light Source Type	LED chips		
UL Listing	Wet location		
Operating Temperature	-40°F to 113°F		
Lifespan	50,000 hours		
Warranty	5 year		

Revision: March 06, 2023




Adjustable Power & CCT Lumen Output Table:

Setting	Voltage	Wattage	Lumens (4000K)	Lumens Per Watt (4000K)	Lumens (5000K)	Lumens Per Watt (5000K)
LV1 100%	120-277V AC	215W	30500lm	142lm/W	30300lm	141lm/W
LV2 80%	120-277V AC	170W	25000lm	147lm/W	24500lm	144lm/W
LV3 60%	120-277V AC	128W	20000lm	156lm/W	19500lm	152lm/W
LV4 40%	120-277V AC	85W	13700lm	161lm/W	13500lm	159lm/W

Electrical Data:

Number of Drivers	Driver Current (mA)	Nominal Power (W)	Input Voltage (V)	Current (Amps)
1		215	120	1.79
	830	215	208	1.03
		215	240	0.90
		215	277	0.78

Photometrics:



Revision: March 06, 2023