

Split J-Box LED Downlight – Wattage & CCT Tunable

Description:

The innovative separable design of junction box and housing makes it more flexible. The split commercial downlight can fulfill a wide range of lighting needs. Easy-fit installation comes from adjustable spring-action housing clips. It is designed and engineered for new construction applications, which is suitable for commercial and public places and elegantly decorates the ambiance, such as shopping mall, hospital, airport, hotel lobby, etc.



Features:

- Material: Aluminum haze trim with white trim ring
- Mounting: Recessed
- Simple Installation with spring-action housing clips
- Integrated J-Box for direct wire eliminated recessed can
- Perfect and economic solution for new construction applications.



Applications:

Suitable for commercial and public places and elegantly decorates the ambiance, such as:


- Shopping malls
- Hospitals
- Airports
- Hotel lobbies



Technical Specifications:

Wattage	40W		
Input Voltage	120-347V		
Color Temperature	CCT Adjustable (3000K,3500K,4000K)		
Wattage Tunable	27W/ 34W/ 40W		
Lumen Output	2700LM/3230LM/3600LM		
Trim Options	4",6",8",10"		
CRI	> 80		
Power Factor	> 0.9		
Dimming	0-10V		
IP rating	IP20		
Lifespan	50,000 hours		
Warranty	5 years		

Dimensions:



20 W I C , 40 W NON-IC

Ordering Guide:

 Type
 Dimmable
 Wattage
 Color Temperature


 DWN-CPS
 D
 0-10V Dimmable
 XXW
 Wattage Tunable
27W/ 34W/ 40W
 CCT
 CCT Adjustable 3000K,
3500K,4000K

Revision: April 22, 2022

Example: DWN-CPS-DXXW-CCT




Trim Dimensions:





Ordering Guide: (Accessories Trim)			Example: NUR-CP4-Trim-S	
Series	Туре		Shape	
NUR-CP	4-Trim 6-Trim 8-Trim 10-Trim	4" 6" 8" 10"	R S RWW SWW	Round Square Round Wall Wash Square Wall Wash

New Construction Rough-In Kits:





Ordering Guide: (Accessories For Frame Kits) Example: NUR-CP4-Frame					
Series	Туре	Frame			
NUR-CP	4 4" 6 6" 8 8"				