


# BACK-LIT LED PANEL

## Features:

- Power Tunable 20W/25W/30W/35W/40W/45W/50W
- Super Bright LEDs 130 lumens per watt
- CCT Tunable 3000K/3500K/4000K/5000K
- AC120-277V and AC120-347V
- 0-10V dimmable
- 80% Energy Savings compared to traditional troffer
- Non-flicker/ No dark spots



## Power & CCT Back-lit LED Panel Light Series:





=	}	20W 3000K	25W 3000K
		20W 3500K	25W 3500K
		20W 4000K	25W 4000K
		20W 5000K	25W 5000K
=	}	30W 3000K	35W 3000K
		30W 3500K	35W 3500K
		30W 4000K	35W 4000K
		30W 5000K	35W 5000K

## Technical Specifications:



Size	2x2 ft.	1x4 ft.	2x4 ft.
Wattage	20-25-30-35	20-25-30-35	35-40-45-50
Input Voltage	120-277V AC	120-277V AC	120-277V AC
Color Temperature	3000K/3500K/4000K/5000K	3000K/3500K/4000K/5000K	3000K/3500K/4000K/5000K
Efficacy	130 lm/W	130 lm/W	130 lm/W
Dimming	0-10V	0-10V	0-10V
CRI	>80	>80	>80
Power Factor	>0.9	>0.9	>0.9
THD	≤ 15 %	≤ 15 %	≤ 15 %
Warranty	5 years	5 years	5 years

**Dimensions:**





**Photometric Test Report:**

2ft. x 2ft.



2ft. x 4ft.



ORDERING GUIDE			Example: NUR-SLS-SJ-2X2-CCT
Fixture Type <input type="text"/>	Size <input type="text"/>	Color Temperature <input type="text"/>	
<b>NUR-SLS-SJ</b> Backlit Panel Light	<b>1x4</b> 1x4 ft <b>2x2</b> 2x2 ft <b>2x4</b> 2x4 ft	<b>CCT</b> CCT Adjustable 3000K/3500K/4000K/5000K	