

EMERGENCY LED DRIVER

Features:

- SKU: SLS-ACC-Battery Backup
- High voltage output
- Low energy consumption (CEC compliant)
- Constant output power
- Self-testing capability
- Battery over-temperature protection
- Listed under UL924 and tested to CSA C22.2 NO.141
- Can be installed in the field or factory
- UL Listed for USA









Input Voltage	100~347Vac, 50/60Hz					
Input Current	200mA max.					
Input Power Rating	I2W max.					
Output Voltage	I70Vdc					
Emergency Power	15W					
Recharge Time	24Hrs					
Discharge Time	90 minute					
Battery	Li-ion					
Ambient Temperature	32~122°F					
Weight	2.66 lbs					
Warranty	5 Years					





Function:

Indicator Light:

- AC Operation: Light stays on.
- Emergency Operation: Light flashes slowly (2 seconds on, 2 seconds off).
- Failure: Light flashes quickly (0.2 seconds on, 0.2 seconds off).

Test Switch:

- AC Operation: Press once for 30 seconds of emergency mode.
- AC Operation: Press twice within two seconds for emergency mode until battery is fully discharged.
- Emergency Operation: Press to deactivate emergency mode; LED lamp and indicator light turn off simultaneously.

Caution ∆:

- During AC operation, do not touch or remove any wires to prevent electric shock.
- During emergency operation, before touching or disconnecting wires, press the test button again to turn off the LED lamp and indicator light, reducing the risk of electric shock.
- The voltage input to the dimmable wires (DIM+, DIM-) of the emergency LED driver must be less than 20Vdc.
- For emergency LED drivers of 15W, it's recommended to use with LED lamps not exceeding 150W.

Dimensions:

Emergency LED Driver	Size										
Picture	Length		Width		Height	Radius				Connector Diameter	
L1 L2	LI	L2	WI	W2	1	RI	R2	/	1	1	1
	12 ¾"	'11 ¾"	2 3/8"	1 5⁄8"	1½"	1/8"	1/8"	13"	3/4"	3/4"	5 ½"


Revision: May 02, 2024



Wiring Diagram:

When the LED driver's power is lower than the emergency power


a) Normal:



Note: Utilize wire nuts to secure any unused wires.


When the LED driver's power exceeds the emergency power

b) With Dimmer:






c) Without Dimmer:




Note: Utilize wire nuts to secure any unused wires.

d) Without Switch and Dimmer:



Note: Utilize wire nuts to secure any unused wires.





Note: Utilize wire nuts to secure any unused wires.

Self Test:

The unit contains a control/monitor circuit that performs a 30-second discharge test monthly and a discharge test annually. During these tests, it simulates an AC power failure and switches to emergency mode automatically. It monitors the LED load, battery voltage, and emergency duration. If any issues are detected, the indicator will flash rapidly.

5